

FILE COPY

INFORMATION DISCLOSURE CITATION

Atty. Docket No. 4189,0079-03000 Serial No. 08/383,676

Applicant RUDOLPH HAUPTMANN et al.

Filing Date: February 1, 1995


Group 1814

U.S. PATENT DOCUMENTS

| Examiner Initial* | Document Number | Date | Name | Class | Sub Class | Filing Date If Appropriate |
|-------------------|-----------------|----------|--------------------|-------|-----------|----------------------------|
| rec | 4,289,690 | 09/15/81 | Pestka et al. | 260 | 112 | |
| WD | 4,560,649 | 12/24/85 | Saxena et al. | 435 | 7 | |
| | 4,578,335 | 03/25/86 | Urdal et al. | 435 | 68 | |
| | 4,609,546 | 09/02/86 | Hiratani | 424 | 83 | |
| | 4,789,658 | 12/06/88 | Yoshimoto et al. | 574 | 12 | |
| | 4,902,502 | 02/20/90 | Nitecki et al. | 424 | 83 | |
| | 4,904,584 | 02/27/90 | Shaw et al. | 435 | 69.4 | |
| | 4,931,544 | 06/05/90 | Katre et al. | 530 | 351 | |
| | 4,935,233 | 06/19/90 | Bell et al. | 424 | 85.5 | |
| | 4,966,888 | 10/30/90 | Saxena et al. | 574 | 2 | |
| | 5,089,261 | 02/18/92 | Nitecki et al. | 424 | 85.2 | |
| | 5,116,964 | 05/26/92 | Capon et al. | 536 | 27 | |
| | 5,136,021 | 08/04/92 | Dembinski et al. | 530 | 350 | |
| | 5,153,265 | 10/06/92 | Shadle et al. | 325 | 54.1 | |
| | 5,162,430 | 11/10/92 | Rhee et al. | 525 | 54.1 | |
| | 5,214,131 | 05/25/93 | Sano et al. | 530 | 345 | |
| | 5,252,714 | 10/12/93 | Harris et al. | 530 | 391.9 | |
| | 5,344,915 | 09/06/94 | LeMaire et al. | 530 | 350 | |
| | 5,359,037 | 10/25/94 | Wallach et al. | 530 | 388.22 | |
| | 5,382,657 | 01/17/95 | Karasiewicz et al. | 530 | 351 | |
| | 5,395,760 | 03/07/95 | Smith et al. | 435 | 240.1 | |
| | 5,478,925 | 12/26/95 | Wallach et al. | 530 | 351 | |
| | 5,512,544 | 04/30/96 | Wallach et al. | 574 | 12 | |
| rec | 5,610,279 | 03/11/97 | Brockhaus et al. | 530 | 387.3 | |

FOREIGN PATENT DOCUMENTS


| Document Number | Date | Country | Class | Sub Class | Translation Yes or No |
|---------------------|----------|---------|-------|-----------|-----------------------|
| rec EP 0 225 579 A3 | 06/16/87 | Europe | | | |




| | | | | | |
|-----|----------------------------|---------------------|--------------------|--|----|
| KCC | EP 0 247 860 A2 | 12/02/87 | Europe | | |
| | EP 0 259 863 A2 | 03/16/88 | Europe | | |
| KCC | EP 0 334 165 A2 | 09/27/89 | Europe | | |
| | DE 39 10 323 A1 | 10/19/89 | Germany | | |
| KCC | EP 0 512 528 A2 | 11/11/92 | Europe | | |
| | DE 3913101.7 | 4-17-89 | Germany | | XX |
| | EP 0 393 438 A2 | 10/24/90 | Europe | | XX |
| | EP 0 398 327 A1 | 11/22/90 | Europe | | |
| KCC | DE 03 920 282.4 | 6-20-89 | Germany | | XX |
| | WO 90/13575 | 11/15/90 | PCT | | |
| | EP 0 417 563 A2 | 03/20/91 | Europe | | |
| KCC | EP 0 418 014 A1 | 03/20/91 | Europe | | |
| | EP 0 422 339 | 04/17/91 | Europe | | |
| | WO 91/03553 | 05/21/91 | PCT | | |
| | GB 2 246 569 A | 02/05/92 | Great Britain | | |
| | WO 92/01474 | 02/06/92 | PCT | | |
| | WO 92/07076 | 04/30/92 | PCT | | |
| | WO 92/15682 | 09/00/92 | PCT | | |
| | WO 92/16221 | 10/01/92 | PCT | | |
| | WO 92/13095 | 08/06/92 | PCT | | |
| | WO 94/06476 | 03/31/94 | PCT | | |
| | EP 0 526 905 A2 | 02/10/93 | Europe | | |
| | EP 0 154 316 A2 | 09/11/85 | Europe | | |
| KCC | EP 0 154 316 B1 | 09/13/89 | Europe | | |


OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

| | |
|-----|--|
| KCC | Anderson et al., "Quantative Filter Hybridisation," <i>Nucleic Acid Hybridization: A Practical Approach</i> , Hawes et al. (ed.), pp. 73-111 (1985) |
| | Baglioni et al., "Binding of Human Tumor Necrosis Factor to High Affinity Receptors on HeLa and Lymphoblastoid Cells Sensitive to Growth Inhibition," <i>J. Biol. Chem.</i> 260(25):13395-13397 (1985) |
| | Bakouche et al., "Plasma Membrane-Associated Tumor Necrosis Factor, A Non-Integral Membrane Protein Possibly Bound to Its Own Receptor," <i>J. Immunol.</i> 140:1142-1147 (1988). |
| | Beutler et al., "Passive Immunization against Cachectin/Tumor Necrosis Factor Protects Mice from Lethal Effect of Endotoxin," <i>Science</i> 229:869-871 (1985). |
| KCC | Bowie et al., "Deciphering the Message in Protein Sequences: Tolerance to Amino Acid Substitutions," <i>Science</i> , 247:1306-1310 (1990). |




| | |
|------|--|
| | Fennan et al., Lancet, vol.2 (8657), pp. 244-247 (1989) |
| | Capaldi et al., "Changes in Order of Migration of Polypeptides in Complex III and Cytochrome c Oxidase under Different Conditions of SDS Polyacrylamide Gel Electrophoresis," <i>Biochem. & Biophys. Res. Comm.</i> 74(2):425-433 (1977). |
| | Carlino et al., "Use of a Sensitive Receptor Binding Assay to Discriminate Between Full-Length and Truncated Human Recombinant TNF Proteins", <i>J. Biol. Chem.</i> 262(3):958-961 (1987). |
| | Colletti et al., "The Production of Tumor Necrosis Factor Alpha and the Development of a Pulmonary Capillary Injury Following Hepatic Ischemia/Reperfusion," <i>Transplantation</i> 49(2):268-272 (1990). |
| | Dayer et al., "Purification and Characterization of Human Tumor Necrosis Factor α Inhibitor," <i>Chemical Abstracts</i> 113(38760n):454 (1990). |
| | Dembic et al., "Two Human TNF Receptors Have Similar Extracellular, But Distinct Intracellular, Domain Sequences," <i>Cytokine</i> 2(4):231-237 (1990) |
| | Engelmann et al., "Antibodies to a Soluble Form of a Tumor Necrosis Factor (TNF) Receptor Have TNF-Like Activity," <i>J. Biol. Chem.</i> 265(24):14497-14504 (1990). |
| | Evans et al., "The Steroid and Thyroid Hormone Receptor Superfamily," <i>Science</i> 240:889-895 (1988). |
| | Goodson et al., "Site-Directed Pegylation of Recombinant Interleukin-2 At Its Glycosylation Site," <i>BioTechnology</i> 8:343-346 (1990). |
| | Goodwin et al., "Molecular Cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor," <i>Molecular and Cell Biology</i> 11(6):3020-3026 (1991). |
| | Grizzard et al., "Affinity-Labeled Somatomedin-C Receptors and Binding Proteins From the Human Fetus," <i>J. Clin. Endocrinol. & Metab.</i> 58(3):535-543 (1984). |
| | Hale et al., "Cytokines and Their Receptors: From Clonal to Clinical Investigation, Demonstration of <i>In Vitro</i> and <i>In Vivo</i> Efficacy of Two Biologically Active Human Soluble TNF Receptors Expressed in <i>E. Coli</i> ," <i>J. Cell. Biochem. Suppl.</i> 15F:113 (1991). |
| | Hatakeyama et al., "Interleukin-2 Receptor β Chain Gene: Generation of Three Receptor Forms by Cloned Human α and β Chain cDNA's," <i>Science</i> 244:551-556 (1989). |
| | Hauser et al., "Cytokine Accumulations in CSF of Multiple Sclerosis Patients: Frequent Detection of Interleukin-1 and Tumor Necrosis Factor but not Interleukin-6," <i>Neurology</i> 40:1735-1739 (1990). |
| | Heller et al., "Complementary DNA Cloning of a Receptor for Tumor Necrosis Factor and Demonstration of a Shed Form of the Receptor," <i>Proc. Natl. Acad. Sci. USA</i> 87:6151-6155 (1990). |
| | Hofman et al., "Tumor Necrosis Factor Identified in Multiple Sclerosis Brain," <i>J. Exp. Med.</i> 170:607-612 (1989). |
| | Israel et al., "Binding of Human TNF-alpha to High-Affinity Cell Surface Receptors: Effect of IFN," <i>Immunol. Lett.</i> 12:217-224 (1986). |
| | Kasukabe et al., "Purification of a Novel Growth Inhibitory Factor for Partially Differentiated Myeloid Leukemic Cells," <i>J. Biol. Chem.</i> 263(11):5431-5435 (1988). |
| | Kohno et al., "A Second Tumor Necrosis Factor Receptor Gene Product Can Shed a Naturally Occurring Tumor Necrosis Factor Inhibitor," <i>Proc. Natl. Acad. Sci. USA</i> 87:8331-8335 (1990). |
| fccc | Lantz et al., "Characterization <i>In Vitro</i> of a Human Tumor Necrosis Factor-Binding Protein," <i>J. Clin. Invest.</i> 86(5):1396-1402 (1990) |

| | |
|--|--|
|  | Lee et al., "Tumor Necrosis Factor and Interleukin 1: Cytokines with Multiple Overlapping Biological Activities," <i>Lab Investigation</i> 56(3):234-248 (1987). |
| | Lee et al., "Generation of cDNA Probes Directed by Amino Acid Sequence: Cloning of Urate Oxidase," <i>Science</i> 239:1288-1291 (1988). |
| | Lehmann et al., "Demonstration of Membrane Receptors for Human Natural and Recombinant ¹²⁵ I-Labeled Tumor Necrosis Factor on HeLa Cell Clones and Their Role in Tumor Cell Sensitivity," <i>Eur. J. Biochem.</i> 158:1-5 (1986). |
| | Liao et al., "Characterization of a Human Interleukin 1 Inhibitor," <i>J. Immunol.</i> 134(6):3882-3886 (1985). |
| | Liao et al., "Identification of a Specific Interleukin 1 Inhibitor in the Urine of Febrile Patients," <i>J. Exp. Med.</i> 159:126-136 (1984). |
| | Liblau et al., "Tumor Necrosis Factor- α and Disease Progression in Multiple Sclerosis," <i>New Engl. J. Med.</i> 326(4):272-273 (1992). |
| | Lindvall et al., "Modulation of the Constitutive Gene Expression of the 55 KD Tumor Necrosis Factor Receptor in Hematopoietic Cells," <i>Biochem. & Biophys. Res. Comm.</i> 172(2):557-563 (1990). |
| | Loetscher et al., "Recombinant 55-kDa Tumor Necrosis Factor (TNF) Receptor," <i>J. Biol. Chem.</i> 266(27):18324-18329 (1991). |
| | March et al., "Cloning, Sequence and Expression of Two Distinct Human Interleukin-1 Complementary DNAs," <i>Nature</i> 315:641-647 (1985). |
| | Neda, Hiroshi, "Analysis of the Tumor Necrosis Factor (TNF) Receptor of Various Tumor Cells," <i>Tumor Necrosis Factor, (TNF) Receptor</i> 56(2):305-317 (1987). (Abstract in English). |
| | Nexo et al., "Lectin-Agarose Immobilization, a New Method for Detecting Soluble Membrane Receptors," <i>J. Biol. Chem.</i> 254(18):8740-8743 (1979). |
| | Nophar et al., "Soluble forms of tumor necrosis factor receptors (TNF-Rs). The cDNA for the type I TNF-R, cloned using amino acid sequence data of its soluble form, encodes both the cell surface and a soluble form of the receptor," <i>The EMBO J.</i> 9(10):3269-3278 (1990). |
| | Novick et al., "Soluble Cytokine Receptors are Present in Normal Human Urine," <i>J. Exp. Med.</i> 170:1409-1414 (1989). |
| | Novick et al., "Soluble Cytokine Receptors are Present in Normal Human Urine," <i>The Physiological and Pathological Effects of Cytokines</i> , pp. 413-421 (1990). |
| | Novick et al., "Purification of Soluble Cytokine Receptors from Normal Human Urine by Ligand-Affinity and Immunoaffinity Chromatography," <i>J. Chromatog.</i> 510:331-337 (1990). |
| | Peppel et al., "A Tumor Necrosis Factor (TNF) Receptor-IgG Heavy Chain Chimeric Protein as a Bivalent Antagonist of TNF Activity," <i>J. Exp. Med.</i> 174:1483-1489 (1991). |
| | Piguet et al., "Tumor Necrosis Factor/Cachectin Plays a Key Role in Bleomycin-Induced Pneumopathy and Fibrosis," <i>J. Exp. Med.</i> 170:655-663 (1989). |
| | Powell et al., "Lymphotoxin and Tumor Necrosis Factor- α Production by Myelin basic Protein-Specific T Cell Clones Correlates With Encephalitogenicity," <i>International Immunology</i> 2(6):539-544 (1990). |
| fcc | Rhein et al., "Another Sepsis Drug Down--Immunex ¹ TNF Receptor," <i>Biotechnology Newswatch</i> , pg. 1, 3(Monday, October 4, 1993). |



| | |
|-----|---|
| | Reichle et al., "An Antibody to Lymphotoxin and Tumor Necrosis Factor Prevents Transfer of Experimental Allergic Encephalomyelitis," <i>J. Exp. Med.</i> 172:1193-1200 (1990). |
| | Seckinger et al., "A Human Inhibitor of Tumor Necrosis Factor Alpha," <i>J. Exp. Med.</i> 167:1511-1516 (1988) |
| | Seckinger et al., "A Urine Inhibitor of Interleukin 1 Activity Affects Both Interleukin 1 α and 1 β But Not Tumor Necrosis Factor α ," <i>J. Immunol.</i> 139(5):1541-1545 (1987). |
| | Seckinger et al., "Characterization of a Tumor Necrosis Factor α (TNF- α) Inhibitor: Evidence of Immunological Cross-Reactivity with the TNF Receptor," <i>Proc. Natl. Acad. Sci. USA</i> 87:5188-5192 (1990). |
| | Seckinger et al., "A Urine Inhibitor of Interleukin 1 Activity That Blocks Ligand Binding," <i>J. Immunol.</i> 139(5):1546-1549 (1987). |
| | Seckinger et al., "Purification and Biologic Characterization of a Specific Tumor Necrosis Factor α Inhibitor," <i>J. Biol. Chem.</i> 264(20):11966-11973 (1989) |
| | Selmaj et al., "Proliferation of Astrocytes In Vitro In Response to Cytokines: A Primary Role for Tumor Necrosis Factor," <i>J. Immunol.</i> 144(1):129-135 (1990). |
| | Selmaj et al., "Tumor Necrosis Factor Mediates Myelin and Oligodendrocyte Damage In Vitro," <i>Annals of Neurology</i> 23(4):339-346 (1988). |
| | Smith et al., "Species Specificity of Human and Murine Tumor Necrosis Factor," <i>J. Biol. Chem.</i> 261(32):14871-14874 (1986). |
| | Spinas et al., "Induction of Plasma Inhibitors of Interleukin 1 and TNF-Alpha Activity by Endotoxin Administration to Normal Humans," <i>Am. J. Physiol.</i> 259:R993-R997 (1990). |
| | Suffys et al., "Involvement of a Serine Protease in Tumour-Necrosis-Factor-Mediated Cytotoxicity," <i>Eur. J. Biochem.</i> 178:257-265 (1988). |
| | Suggs et al., "Use of Synthetic Oligonucleotides as Hybridization Probes: Isolation of Cloned cDNA Sequences for Human β 2-Microglobulin," <i>Proc. Natl. Acad. Sci. USA</i> 78(11):6613-6617 (1981) |
| | The Cytokine Factsbook, Callard (ed.), Academic Press Inc., San Diego, CA., pp. 244-246 (1994). |
| | Tracey et al., "Anti-Cachectin/TNF Monoclonal Antibodies Prevent Septic Shock During Lethal Bacteraemia," <i>Nature</i> 330:662-664 (1987). |
| | Tracey et al., "Cachectin/Tumor Necrosis Factor Induces Cachexia, Anemia, and Inflammation," <i>J. Exp. Med.</i> 167:1211-1227 (1988). |
| | Tracey et al., "Metabolic Effects of Cachectin/Tumor Necrosis Factor Are Modified by Site of Production," <i>J. Clin. Invest.</i> 86:2014-2024 (1990). |
| | Tracey et al., "Physiological responses to cachectin," <i>Tumor necrosis factor and related cytotoxins</i> . Wiley, Chichester (Ciba Foundation Symposium 131), pp. 88-108 (1987). |
| | Tsujimoto et al., "Characterization and Affinity Crosslinking of Receptors for Tumor Necrosis Factor on Human Cells," <i>Archives of Biochem. & Biophys.</i> 249(2):563-568 (1986). |
| | Unglaub et al., "Downregulation of Tumor Necrosis Factor (TNF) Sensitivity Via Modulation of TNF Binding Capacity by Protein Kinase C Activators," <i>J. Exp. Med.</i> 166:1788-1797 (1987). |
| see | Vilcek et al., "Tumor Necrosis Factor: Receptor Binding and Mitogenic Action in Fibroblasts," <i>J. Cell. Physio. Supplement</i> 5:57-61 (1987). |



| | |
|---|-------------------------------|
| Vitt et al., "Biological and Structural Characterization of the Tumor Necrosis Factor Receptor on Multiple Cell Types: Relationship to Function," <i>Fed. Proc. 78th Annual meeting of the American Society of Biological Chemists</i> 46(6):2117 (1987). | |
| Wallach et al., "Mechanisms Which Take Part in Regulation of the Response to Tumor Necrosis Factor," <i>Lymphokine Research</i> 8(3):359-363 (1989). | |
| Wallach, David, "Preparations of Lymphotoxin Induce Resistance to Their Own Cytotoxic Effect," <i>J. Immunol.</i> 132(5):2464-2469 (1984). | |
| Wallach et al., "Regulation of the Response to Tumor Necrosis Factor," Bonavida, Gifford, Kirchner, Old (eds), <i>Tumor Necrosis Factor/Cachectin and Related Cytokines Int. Conf. Tumor Necrosis Factor and Related Cytotoxins, Heidelberg</i> 1987, pp. 134-147 (1988). | |
| Walsh et al., "Isolation and Purification of ILS, an Interleukin 1 Inhibitor Produced by Human Gingival Epithelial Cells," <i>Clin. Exp. Immunol.</i> 68:366-374 (1987). | |
| Weber et al., "Production of an Epidermal Growth Factor Receptor-Related Protein," <i>Science</i> 224:294-297 (1984). | |
| Yoshie et al., "Binding and Crosslinking of ¹²⁵ I-Labeled Recombinant Human Tumor Necrosis Factor to Cell Surface Receptors," <i>J. Biochem.</i> 100:531-541 (1986). | |
| Zeigler, Elizabeth J., "Tumor Necrosis Factor in Humans," <i>New Engl. J. Med.</i> 318(23):1533-1535 (1988). | |
| Examiner <i>Peterson Carbon</i> | Date Considered <i>9-9-91</i> |
| *Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | |
| Form PTO 1449 Patent and Trademark Office - U.S. Department of Commerce | |